

**Introduction to Vaccination, Presentation #1  
Are Vaccinations Safe?**

[Introduction](#) [Sanitation](#)  
[90% of Contageous Disease Mortality](#)  
[Disappeared Before Vaccination](#)  
[More mortality graphs](#) [Smallpox](#) [Polio](#) [Safe?](#)

# Do You Know WHAT'S IN A VACCINE?

## ■ ammonium sulfate (salt)

Suspended gastrointestinal, liver, nerve and respiratory system poisons.

## ■ beta-propiolactone

Known to cause cancer, suspended gastrointestinal, liver, respiratory, skin and other organ poisons.

## ■ genetically modified yeast, animal, bacterial & viral DNA

Can be incorporated into the recipient's DNA and cause various genetic mutations.

## ■ latex rubber

Can cause life-threatening allergic reactions.\*

## ■ monosodium glutamate

(MSG)/glutamate/glutamic acid

Long studied for mutagenic, carcinogenic, neurodegenerative, cardiovascular and neurological and reproductive effects. It increases allergic reactions (can range from mild to severe).\*

## ■ aluminum

Implicated in a cause of brain damage, respiratory failure in children, chronic dementia, seizures and various allergic reactions, can show on skin.\*

## ■ formaldehyde (formalin)

Major constituent of embalming fluid, poisonous if ingested. Possible carcinogen; suspended gastrointestinal, liver, nervous system, nerve, reproductive system, and respiratory poisons. Listed in textbooks, brain, skin and lymphatic cancer.

## ■ micro-organisms

Live and killed virus and bacteria in their states. The polio vaccine was contaminated with a monkey virus now showing up in human bone, long-tongued (osteoblasts), brain tumors and lymphomas.

\*When babies are born or days old it is impossible to know if they live or die.

## ■ polysorbate 80

Known to cause cancer in animals.

## ■ tri(n)butylphosphate

Suspended kidney and nerve poisons.

## ■ glutaraldehyde

Proven to be injurious. Causes birth defects in experimental animals.

## ■ gelatin

Prepared from selected pieces of calf and cattle skin, de-normalized cattle bones and pork skin. Allergic reactions have been reported.\*

## ■ gentamicin sulfate & polymyxin B (antibiotics)

Allergic reactions (can range from mild to life threatening).\*

## ■ mercury (thimerosal)

One of the most poisonous substances known. Not an allergy for the brain, gut, liver, bone marrow and kidneys. Known neurotoxin (can cause nerve damage). Symptoms of mercury toxicity are similar to those of autism.

## ■ neomycin sulfate (antibiotic)

Associated with thimerosal. All symptoms are more in the uptake of B6 can cause a wide range of epilepsy and mental retardation. Allergic reactions (can be mild to life threatening).\*

## ■ phenol/phenoxyethanol (2-PE)

Used as antiseptic. Toxic to all cells and capable of disabling the immune system's primary response mechanism.

## ■ human & animal cells

Human cells have absorbed fetal tissue and human chorion. Pig blood, horse blood, rabbit brain, possum pig, dog kidney, cow heart, monkey kidney, duck embryo, chicken egg, duck egg, calf serum, sheep blood and others.

*A major cause of the Roman Empire's decline, after six centuries of world dominance was its replacement of stone aqueducts by lead pipes for the transport and supply of drinking water. Roman engineers, the best in the world, turned their fellow citizens into neurological cripples. Today our own "best and brightest," with the best of intentions, achieve the same end through childhood vaccination programs yielding the modern scourges of hyperactivity, learning disabilities, autism, appetite disorders, and impulsive violence.*

— Harris L. Coulter, Ph.D.

Copyright 2011. All rights reserved. Kasser Publications, Inc. • www.kasserpublishing.com • 800-647-0268

Ammonium sulfate (salt), beta-propiolactone, genetically modified yeast, animal, bacterial & viral DNA, latex rubber, monosodium glutamate (MSG), aluminum, formaldehyde (embalming fluid), micro-organisms (virus, bacteria, etc.) polysorbate 80, tri(n) butylphosphate, glutaraldehyde, gelatin, gentamicin sulfate & polymyxin B (antibiotics), mercury, neomycin sulfate, phenol/phenoxyethanol, human & animal cells. If you have any doubt these are harmful, then look at the next page.

[<Previous](#) [Next>](#)

## **Vaccine Adverse Event Reporting System (VAERS)**

Reported Deaths and other injuries are just that, reports, not proven "cause and effect" events.

However, adverse events are grossly under-reported. The FDA says actual event to report ratio may be 10 to 1, a study in NY says 40 to 1 ratio, a small vaccine maker says 50 to 1 ratio and one CDC study has said the actual ratio may be as small as 100 to 1. A common estimate is that vaccine adverse events may be in the 300,000 total per year range.

In the years, 1991 to 2000, reported deaths each year associated with vaccines ranged from 145 to 251. Reports of infant (age <1Year) deaths ranged from 86 to 182.

SEE: <http://www.vaclib.org/basic/vaerssummary.htm>

[<Previous](#) [Next>](#)

## **What happens if 'immune deficient children' are vaccinated?**


We are asking about children who are malnourished and living under unsanitary conditions. For an excellent example and answer, read:

*Every Second Child* by Archie Kalokerinos, M.D.

This study into infant and children's death among Australian Aboriginal death in the 1970's detailed how child mortality doubled, and then continued rising to reach, in the worst case areas, 500 per thousand. This increase in deaths occurred following stepped-up campaigns of vaccination. When Dr. Kalokerinos gave Vitamin C both before and after the vaccinations he reduced the high death rate from vaccination to near nothing. Yet the 'authorities' were reluctant to admit that the vaccinations were dangerous even with this obvious proof.

If vaccines lead to the death and illness of 'immune deficient children', what happens to the mortality and health of children raised in better circumstances? For the answer to this question, see the next frame where Japan stopped vaccination in children under aged two years and saved lives.

[<Previous](#) [Next>](#)



Note: infant deaths in 1973 were only 90 less than 1972. Infant deaths in 1974 were 1795 less than 1973 and in 1975 infant deaths were 2785 less than year 1974. The Japan Vaccine Compensation System paid 37 death claims between 1970 and 1975, this during a period when routine vaccination began at 3 to 5 months. Between 1975 and 1980, when vaccination was started at 2 years of age only 3 death claims were paid. [Due to poor mortality results in 1973, infant vaccination decreased in 1974.] **In 1975, vaccination was suspended briefly and then reinstated at 24 months of age.**

Infant lives were saved in Japan in 1975 when the government agreed to raise the minimum vaccination age from 3 months to 2 years.

[<Previous](#) [Next>](#)

**Is the cause of disease:  
Virus OR filth and malnourishment?**

In order to better understand the vaccination debate, consider the following two theories of immunity:

The immune system is:

**digital, static, dependent upon specific antibodies.**

**OR**

The immune system is:

**analog, dynamic, dependent upon a clean and well nourished blood stream.**

Here: digital refers to ON or OFF, a state of immunity which either IS or IS NOT.

Analog refers to an immune system which may be at any level between nothing (susceptible) and totally immune.

Static refers to the concept that the immunity changes slowly over months or years.


Dynamic refers to the concept that immunity may change rapidly even in minutes or hours but easily over a few days or weeks time span.

There is evidence that specific antibodies are a poor, at best, measurement of immunity.

There is strong evidence that overall health is the best measurement of immunity. Overall health is characterized by 'balanced cell chemistry' which is another way of saying the body is non-toxic.

[<Previous](#) [Next>](#)

## A one page education on vaccines thanks to Alan Yurko



For more about Alan Yurko, see

<http://www.vaclib.org/vaxworld/cartoons.htm>

For a wealth of information on vaccinations, return to our [Index page](#).

[<Previous](#)